

Package: dwmmlRidge (via r-universe)

June 27, 2026

Type Package

Title Dynamically Weighted Modified Maximum Likelihood (DWMML) Ridge Regression

Version 0.1.1

Description Implements the dynamically weighted modified maximum likelihood ridge (DWMMLR) regression estimator, a robust and multicollinearity-aware linear regression estimator that combines the DWMML3 weighting procedure of Sazak (2019) <[doi:10.1080/00949655.2019.1571060](https://doi.org/10.1080/00949655.2019.1571060)> with ridge penalization to address both outlier sensitivity and variance inflation due to multicollinearity. The ridge parameter is selected automatically using the approach implemented in the 'ridgregextra' package (Karadag, Sazak, and Aydin, 2023) <<https://CRAN.R-project.org/package=ridgregextra>>, described further in Karadag, Sazak, and Aydin (2026) <[doi:10.1080/02664763.2026.2655681](https://doi.org/10.1080/02664763.2026.2655681)>, which targets a variance inflation factor (VIF) close to but not below 1, removing the need for manual tuning. Returns comprehensive outputs (coefficients, fitted values, residuals, mean squared error (MSE), standard errors, R-squared, and adjusted R-squared) through a simple x/y interface.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 4.0.0)

Imports MASS, stats, Styperidge.reg

Suggests isdals, mctest

Enhances ridgregextra

URL <https://github.com/filizkrdg/dwmmLRidge>

BugReports <https://github.com/filizkrdg/dwmmLRidge/issues>

RoxygenNote 7.3.2

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libssl-dev

Repository <https://filizkrdg.r-universe.dev>
Date/Publication 2026-06-22 18:07:14 UTC
RemoteUrl <https://github.com/filizkrdg/dwmm1Rridge>
RemoteRef HEAD
RemoteSha 075f96db4eaedd3f3d84b8a98f8e85871b2e0a0e

Contents

dwmm1R.reg	2
Weighted1s.reg	3
Index	5

dwmm1R.reg	<i>DWMML3 Ridge Regression Estimator</i>
------------	--

Description

Full regression results using the DWMML3 Ridge Regression Estimator

Usage

```
dwmm1R.reg(x, y)
```

Arguments

`x` A numeric vector or matrix of predictor variables.
`y` A numeric vector or matrix of response values.

Value

A list containing ‘`esttabledataframe`’, ‘`stdtabledataframe`’, and additional model diagnostics.

See Also

[Weightedridge.reg](#) for the underlying weighted ridge regression implementation, [ridgereg_k](#) for the ridge parameter selection method used internally by `Styperidge.reg`.

Examples

```
if (requireNamespace("mctest", quietly = TRUE)) {
  data(Hald, package = "mctest")
  x <- Hald[, -1]
  y <- Hald[, 1]
  fit <- dwmm1R.reg(x, y)
  fit$esttabledataframe
}
```

```

if (requireNamespace("isdals", quietly = TRUE)) {
  data(bodyfat, package = "isdals")
  x <- bodyfat[, -1]
  y <- bodyfat[, 1]
  fit <- dwmmLR.reg(x, y)
  fit$esttabledataframe
}

```

Weightedls.reg

Weighted least squares regression

Description

Fits a weighted least squares (WLS) regression model with an intercept term. Weights can be supplied as a vector, a single-column data frame, or a square weight matrix. If a vector or data frame is supplied, it is internally converted to a diagonal weight matrix. In the example below, the weight vector W is generated from a Uniform(0, 1) distribution purely to illustrate how to call the function. In practice, users should provide weights that reflect the structure of their data (e.g., from variance estimates or a robust weighting scheme).

Usage

```
Weightedls.reg(x, y, W)
```

Arguments

- | | |
|-----|--|
| x | Explanatory variables. A data.frame or matrix with observations in rows and predictors in columns. |
| y | Dependent variable. A numeric vector, data.frame, or matrix. For a univariate response, this should be a length- n vector or an $n \times 1$ matrix. |
| W | Observation weights. Can be <ul style="list-style-type: none"> • a numeric vector of length n, or • a single-column data.frame of length n, or • an $n \times n$ weight matrix. If W is a vector or data.frame, the function converts it to $\text{diag}(W)$ internally. |

Value

A list with the following components:

- beta** Numeric matrix $((p+1) \times 1)$. Estimated regression coefficients, including the intercept in the first row.
- e** Numeric matrix $(n \times 1)$. Residuals $(y - \hat{y})$.
- ew** Numeric matrix $(n \times 1)$. Weighted residuals $(W^{(1/2)} \%*\% e)$.
- yhat** Numeric matrix $(n \times 1)$. Fitted values $(X \%*\% \text{beta})$.

- yhatw** Numeric matrix ($n \times 1$). Fitted values in the weighted space ($Xw \%*\% \text{beta}$).
- MSE** Numeric scalar. Mean squared error computed from weighted residuals.
- F** Numeric scalar. Overall model F statistic based on the weighted ANOVA decomposition.
- sig** Numeric scalar. P-value associated with F.
- varbeta** Numeric matrix $((p+1) \times (p+1))$. Estimated covariance matrix of beta.
- stdbeta** Numeric vector (length $p+1$). Standard errors of beta.
- R2** Numeric scalar. Weighted coefficient of determination (R-squared).
- R2adj** Numeric scalar. Adjusted weighted R-squared.
- anovatable** A data.frame. ANOVA-style table with sums of squares, degrees of freedom, mean squares, F, and p-value.
- confint** Numeric matrix ($2 \times (p+1)$). Confidence intervals for beta; first row is lower, second row is upper.

Examples

```
if (requireNamespace("isdals", quietly = TRUE)) {
  data(bodyfat, package = "isdals")
  x <- bodyfat[, -1]
  y <- bodyfat[, 1]

  n <- nrow(x)
  W <- runif(n, min = 0, max = 1)

  fit <- Weightedls.reg(x, y, W)
  fit$beta
  fit$R2
  fit$anovatable
}
```

Index

`dwmmlR.reg`, 2

`ridgereg_k`, 2

`Weightedls.reg`, 3

`Weightedridge.reg`, 2